

Interim Report
2/5/2017

Responsees
118

FL
118

MZL
39

9%	FL pts received RIT:	11	FL treated at CC
0%	received RT at CC:	0	24
			20%

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described</u> in <u>DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	?	Follicular	?	Stage 1/2	1	OTHER - not listed above	CHOP then pelvic rads then 4 rituxan immediately as initial and only tx		CHOP + rads. Then Dr. agreed to follow rads with 4 rituxan	Nothing else. Mine was considered grade 3 therefore treated like diffuse		
NO	MC	1	Follicular	9/27/16	Stage 3 or 4	3	Chemotherapy* given WITH Rituxan without maintenance	None	No Tx	None	None	3	0
NO	CC	1	Follicular	11/29/16	Stage 3 or 4	1	OTHER - not listed above	6 x CVP, 2x CHOP, 8 Week of Rituxan		Idiotype immunization, They (Large Scale Biology and Stanford) failed to make vaccine	MOPP; I declined this treatment from my local oncologist.	4	0
Discussed	CC	21	Follicular	9/23/96	Stage 3 or 4	4	Rituxan only (4 doses), Radiation to local area only	Clinical trial with Enzaustarin, IPI-145 with rituxan, polutuzmab vedotin with gayzava . Also had rituxan a second time, after the first time. Watch and wait for first 10 years	Rituxan only , Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only, Radiation to local area only	Clinical trials	Car t	5	0
NO	MC	23	Follicular	8/8/94	Stage 3 or 4	2	Chemotherapy* with NO Rituxan , OTHER - not listed above	Idiotype vaccine	High dose chemotherapy with SCT (auto or allo type)	Bone Marrow Transplant	High dose chemotherapy with bone marrow transplant.	3	0
Y	MC	20	Follicular	7/12/97	I do not know	4	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only, OTHER - not listed above	Interleukin 2		Clinical trial with Interleukin 2	Oncologist did not offer RIT (Zevalin). I went for a second opinion to Michigan and that doctor said I would be a good candidate. My oncologist agreed to do it locally.	3	0
NO	CC	9	Follicular	1/15/08	Stage 3 or 4	1	OTHER - not listed above	Rituxan (6 doses)	Chemotherapy* given WITH Rituxan - No maintenance	None	Ibrutinib, Bendamustine, Zevalin	4	2
Y	MC	17	Follicular	3/10/00	Stage 3 or 4	2	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only	none	Chemotherapy* with NO Rituxan	BR	Interferon	3	0
Y	MC	13	Follicular	1/1/04	Stage 3 or 4	4	Rituxan only , Radioimmunotherapy only, OTHER - not listed above	Genitope Vaccine (control arm- positive vaccine with Rituxan)		Genitope Vaccine	CHOP	5	1
Discussed	MC	14	Follicular	11/17/03	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	Chemotherapy* with NO Rituxan, Chemotherapy* followed by Radioimmunotherapy	none	none	5	0
Discussed	MC	6	Follicular	11/1/11	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, OTHER - not listed above	Ibrutinib, bendamustine/rituximab, Idelalisib/rituximab, CAR-T	Radioimmunotherapy only, High dose chemotherapy with SCT (auto or allo type), OTHER - not listed above	Everything was listed above but the survey required me to enter something here.	Everything was listed above but the survey required me to enter something here.	5	0

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described</u> in <u>DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
Y	MC	18	Follicular	12/9/99	Stage 3 or 4	3	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Chemotherapy* followed by Radioimmunotherapy	Vaccine clinical trial	Radiation to local area only, High dose chemotherapy with SCT	None	None	4	4
NO	MC	14	Follicular	6/20/03	Stage 3 or 4	1	OTHER - not listed above	Rituxin plus vaccine	Chemotherapy* given WITH Rituxan - No maintenance	CHOP plus Rituxin	None	5	1
NO	MC	14	Follicular	5/15/03	Stage 3 or 4	4	Chemotherapy* with NO Rituxan, OTHER - not listed above	don't know if Revlimid is considered chemotherapy, but took for 5+ years from 2006-2011 and took again with Rituxan in 2016. Finished 8 Rituxan treatments and am still taking 15mg Revlimid monthly		none since Revlimid was so effective first time	Zevalin	2	0
NO	CC	5	Follicular	3/15/12	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	None		None	None	3	1
Discussed	MC	15	Follicular	12/22/02	Stage 3 or 4	4	Rituxan only, Chemotherapy* given WITH Rituxan - No maintenance, OTHER - not listed above	Vaccine therapy trial in conjunction with CVP, no rituxan, failed and unblinded and received real vaccine	Radioimmunotherapy only, High dose chemotherapy with SCT (auto or allo type)	N/a	N/a	3	0
NO	MC	13	Follicular	7/31/04	Stage 3 or 4	3	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan - No maintenance, OTHER - not listed above	Vaccine clinical trials (2)	Chemotherapy* with NO Rituxan , Chemotherapy* given WITH RituxanRituxan M 1-2 yrs	None	None	1	5
Discussed	MC	18	Follicular	7/12/99	Stage 1/2	3	Rituxan only (4 doses), Radiation to local area only	PACE	Chemotherapy* with NO Rituxan, Chemotherapy* followed by Radioimmunotherapy, Radioimmunotherapy only	stem cell transplant from close relative.	none	3	1
NO	MC	17	Follicular	5/30/00	Stage 3 or 4	4	Rituxan only (4 doses), Radiation to local area only, OTHER - not listed above	Vaccine + Rituxan; Zevalin + MGD	OTHER - not listed above	Zevalin + MGD; Vaccine + Rituxan	None	3	0
NO	MC	16	Follicular	5/10/01	Stage 3 or 4	3	Rituxan only, High dose chemotherapy with SCT (auto or allo type)	none		none	none	5	5
NO	MC	7	Follicular	7/30/10	Stage 3 or 4	3	Rituxan only	I don't think I've had any other treatments. Well, prayer and presents. :-D	OTHER - not listed above	There was a radio-tagged therapy that we discussed in 2014, but I don't know whether it was a good idea.	I don't think we ever talked about things that weren't an option. That would seem off topic.	2	0
Y	MC	16	Follicular	2/6/01	Stage 3 or 4	4	Chemotherapy* with NO Rituxan , Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Radioimmunotherapy only, Radiation to local area only	None	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan with Rituxan M 1-2 yrs, Radioimmunotherapy only, Radiation to local area only	Stem cell transplant	Fluoradabine	4	3
Y	MC	117	Follicular		Stage 3 or 4	4	Rituxan only, Radioimmunotherapy only, OTHER - not listed above	Vaccine; Ofitumamab; Calicumyacin attached to anti-CD22 aganet	High dose chemotherapy with SCT	I can't remember	I can't remember	4	2

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
Discussed	MC	11	Follicular	5/1/06	Stage 3 or 4	2	Rituxan only (4 doses), OTHER - not listed above	revlimid and rituxan (phase 1 clinical study that originally included idelalisib which I did not tolerate) followed by maintenance rituxan (not part of the study)	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only	we discussed a number of treatments but mostly because I brought them up - I am a doctor and very involved in decision making	don't think there were any - see above answer	5	0
NO	CC-a	17	Follicular	12/1/00	Stage 3 or 4	3	Chemotherapy* with NO Rituxan , Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, OTHER - not listed above	2 rounds of chlorambucil, Rituxan maintenance 4.5 years (following RCHOP); stems cells stockpiled in case of future transformation	High dose chemotherapy with SCT, OTHER - not listed above	dendritic cell vaccine; FND + Rituxan + interferon; Genitope and Favrilite vaccine trials	idiotypic vaccine (NCI protocol with Promace etc and Biomira? pilot)	5	3
Discussed	MC	7	Follicular	3/1/10	Stage 1/2	1	Chemotherapy* given WITH Rituxan - No maintenance	none	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only, OTHER - not listed above	I asked about R maintenance and my onc was against it until there was more evidence for or against	none	4	2
Discussed	MC	18	Follicular	4/1/99	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan - No maintenance	none	Rituxan only (4 doses), Rituxan only (4 doses) - followed by Rituxan maintenance for 1-2 yrs., Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Chemotherapy* given WITH Rituxan - No maintenance, Chemotherapy* followed by Chemotherapy* given WITH Rituxan/Rituxan M 1-2 yrs	FND	newer drugs in clinical trials - can't remember names - mabs	4	2
NO	MC	5	Follicular	9/30/12	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	none	3	0
NO	CC	7	Follicular	5/12/10	Stage 1/2	4	Rituxan only (4 doses)	none	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs..	Rituxan + Treanda	Rituxan + Maintenance	1	0
NO	MC	3	Follicular	2/14/14	Stage 3 or 4	0	OTHER - not listed above	Not really "treatment" but rather an attempt to change epigenetics that gave rise to the lymphoma, by following	No Tx, Rituxan only (4 doses), Chemotherapy* given WITH Rituxan/Rituxan M 1-2 yrs, OTHER - not	Per my request, have discussed chlorambucil as initial therapy, if indicated, if treatment needed in	Rituxin with or without chemo.	5	1
Y	MC	20	Follicular	6/10/97	I do not know	4	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only	none	Chemotherapy* given WITH Rituxan - No maintenance, Radioimmunotherapy only	none	none	3	1
NO	MC	2	Follicular	8/3/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan - No maintenance	Was not given any other choice but R&B	OTHER - not listed above	None	None	1	0
Discussed	CC	14	Follicular	2/27/03	Stage 3 or 4	3	Rituxan only (4 doses) - followed by Rituxan maintenance for 1-2 yrs, Chemotherapy* given WITH Rituxan - No maintenance	IBRUTINIB TRIAL (FOR LAST 2 YEARS)	Radioimmunotherapy only	Conferred with oncologist at major cancer center about bexxar (several years ago);referred by my local oncologist.	None that I can remember.	3	0
NO	MC	20	Follicular	4/16/97	Stage 1/2	4	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Radiation to local area only	None	High dose chemotherapy with SCT	None	None	3	0
NO	MC	117	Follicular		I do not know	2	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	bendamustine, when my cancer came back second time but this was not approved in Canada so had to opt out for same treatment I had the first time I had cancer.	no other treatments offered	1	4

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
Y	MC	21	Follicular	11/1	Stage 3 or 4	4	CHOP Rituxan only (8 doses)	Rituxan with CpG then Id vaccine Oral low dose chemo (PEPC) with Rituxan Oral low dose chemo 2x Oral low dose chemo, then high dose cytoxan, then radioimmunotherapy	Stem cell transplant (allo)			1	0
NO	MC	15	Follicular	1/20	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan without Rituxan maintenance, OTHER - not listed above	FND plus rituxan	Chemotherapy* given WITH Rituxan without Rituxan maintenance	None	None	3	3
NO	MC	8	Follicular	12/22	Stage 3 or 4	0	No Tx	none. On watch and wait.	No Tx	none suggested	none	3	0
NO	MC	7	Follicular	1/10	Stage 1/2	2	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs, Radiation to local area only	4 Rituxan CHOP treatments, 2 years Rituxan (4 every 6 months) 24 localized radiation treatments	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* with NO Rituxan Chemotherapy* given WITH Rituxan followed by Rituxan M 1-2 yrs. Chemotherapy* given WITH Rituxan without Rituxan maintenance, Radiation to local area only	none	none	3	0
Mentioned	CC-a	9	Follicular	4/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs,	None	Chemotherapy* with NO Rituxan , High dose chemotherapy with SCT (auto or allo type)	R-CHOP	Radioimmunotherapy	2	3
Y	MC	9	Follicular	1/8	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan without Rituxan maintenance, Radioimmunotherapy only			None	None	3	3
NO	CC	7	Follicular	1/25	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs,	None	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	Bendamustine	Zevalin	3	3
NO	CC-a	12	Follicular	5/15	Stage 3 or 4	4	Rituxan only (4 doses)	n/a	Not applicable - I have not received treatment	n/a	n/a	1	0
NO	MC	14	Follicular	6/15	Stage 3 or 4	2	Rituxan only (4 doses), Chemotherapy* with NO Rituxan	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs..	6 round or 8 round rituxan	None	3	1
NO	CC-a	0	Follicular	6/18	Stage 3 or 4	1	Rituxan only (4 doses)	Taking vitamin D3	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan without Rituxan maintenance, High dose chemotherapy with SCT	None	None	5	1
Y	MC	3	Follicular	1/15	Stage 3 or 4	1	Chemotherapy* followed by Radioimmunotherapy	None	Chemotherapy* given WITH Rituxan then Rituxan M 1-2 yrs	none	nonr	4	1
Discussed	MC	14	Follicular	7/10/2003	Stage 3 or 4	4	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 2 yrs, Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Radiation to local area only, OTHER - not listed above	Rituxan plus Revlimid	Chemotherapy* given WITH Rituxan followed by RM 1-2 yrs, Chemotherapy* followed by Radioimmunotherapy, Radioimmunotherapy only, High dose chemotherapy with SCT	none	none	3	0

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	5	Follicular	12/1/2012	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan no maintenance	none	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs	none	none	1	0
Discussed	MC and CC	14	Follicular	12/1/2003	Stage 1/2	4	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan with no maintenance, Radiation to local area only, High dose chemot with SCT, OTHER - not listed above	Clinical trials, Revlimid+Rituxan	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Radioimmunotherapy only, OTHER - not listed above	Clinical trials, ibrutinib, RIT	-	5	1
NO	MC	117	Follicular		Stage 3 or 4	3	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, High dose chemotherapy with SCT	Bcl2 trial	High dose chemotherapy with SCT	Allo	Cart-t	3	3
Discussed	CC	14	Follicular	8/5/2003	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	CHOP with rituxan 6 rounds	Chemotherapy* given WITH Rituxan followed by RM 1-2 yrs, Chemotherapy* followed by Radioimmunotherapy, Radioimmunotherapy only, High dose chemotherapy with SCT	None	Stem cell autologous	3	0
NO	MC and CC	12	Follicular	12/8/2005	I do not know	4	Chemotherapy* given WITH Rituxan followed by RM for 1-2 years	B-R with RM for 2 years; R squared, RICE, keytruda trial, revlimid	OTHER - not listed above	lbrutinib	Car t	2	0
Y	MC	7	Follicular	4/15/2010	Stage 3 or 4	1	OTHER - not listed above	R-CHOP+Bexxar+Rtx maintenance 4 years	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs	Rchop	Ww	4	0
NO	MC regional	5	Follicular	2/22/2012	Stage 1/2	2	Rituxan only (4 doses), Radiation to local area only	none	Rituxan only (4 doses) followed by RM for 1-2 yrs, Chemotherapy* with NO Rituxan Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan without Rituxan maintenance, Radioimmunotherapy only, High dose chemotherapy with SCT	none	none	4	4
NO	CC-a	3	Follicular	5/30/2014	Stage 3 or 4	4	Chemotherapy* given WITH Rituxan without Rituxan maintenance	None	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs	None	None	3	0
NO	MC	6	Follicular	7/7/2011	Stage 3 or 4	4		Four rounds Rituxan and Bendamustine		R/B was discussed as that was the course appropriate for my condition.	Imbrutinib if cancer returned.	4	0
NO	MC	16	Follicular	11/11/2001	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan without Rituxan maintenance	With R-CHOP took one year interferon a-2b	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan without Rituxan maintenance	None	None	4	0
Discussed	MC	8	Follicular	2/1/2009	Stage 3 or 4	2	Rituxan only (4 doses), Rituxan only (4 doses) followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan without Rituxan maintenance, Chemotherapy* followed by Radioimmunotherapy	None	SCT	4	0
NO	MC	7	Follicular	8/26/2010	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None		CHOP	none	3	0

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described</u> in <u>DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	3	Follicular	1/13/2014	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan without Rituxan maintenance	None	None	4	0
NO	MC		Follicular		Stage 3 or 4	1	Rituxan only (4 doses) followed by RM for 1-2 yrs..	None	High dose chemotherapy with SCT	Rcvp	Ibrutnab	5	0
NO	MC	3	Follicular	1/3/2014	I do not know	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	N/A		N/A	R-squared	3	0
NO	CC	3	Follicular	11/9/2014	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	OTHER - not listed above	no other choice offered. we were told what type of treatment we were receiving.	We did not discuss any other treatments. We were told that we would receive B-R with Rituxan maintenance. Halfway through maintenance we developed late onset neutropenia and were forced to quit using rituxan.	2	0
NO	MC	2	Follicular	11/11/2015	Stage 1/2	1	Rituxan only (4 doses)	n/a	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs..	n/a	n/a	3	0
NO	MC	1	Follicular	4/19/2016	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	due to age and existing CHF it was suggested I could only tolerate gentler types of treatment without worsening my cardiomyopathy		none	due to age and existing CHF (cardiomyopathy) it was suggested to me that I'm not a good candidate for any harsch Chemo or SCT in future.	1	0
NO	MC	1	Follicular	10/13/2016	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan without Rituxan maintenance	None	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan without Rituxan maintenance	none	none	1	0
NO	CC-a	3	Follicular	11/24/2014	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan without Rituxan maintenance	None	Stem Cell Transplant	1	2
NO	MC	1	Follicular	7/2/2016	Stage 1/2	1	Rituxan only (4 doses)	none so far	Rituxan only (4 doses) followed by RM for 1-2 yrs..	none	none	4	0
NO	MC	4	Follicular	12/15/2013	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan without Rituxan maintenance	None	None	1	0
NO	MC	3	Follicular	6/18/2014	Stage 1/2	4	Rituxan only (4 doses) followed by RM for 1-2 yrs..	None	Rituxan only (4 doses) followed by RM for 1-2 yrs.	None	None	3	1
NO	MC	1	Follicular	8/25/2016	Stage 1/2	4	Chemotherapy* given WITH Rituxan followed by RM for 1-2 yrs.	none	Radiation to local area only	none	radiation	1	0
NO	MC	3	Follicular	6/20/2014	Stage 3 or 4	1	Rituxan only (4 doses)	None		Other options were discussed but as options further down the road (BR for instance).	None.	5	2
NO	MC	5	Follicular	10/5/2012	Stage 3 or 4	4	Rituxan only (4 doses) followed by RM for 1-2 yrs.	Ongoing maintenance every other month, currently in year 3		none	bendamustine/rituxan, ibrutinib	5	0
NO	CC-a	1	Follicular	10/11/2016	I do not know	0	Not applicable - I have not received treatment	-	Rituxan only (4 doses)	=	=	4	1

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described</u> in <u>DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	3	Follicular	1/13	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	None	4	0
NO	MC		Follicular		Stage 3 or 4	1	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	High dose chemotherapy with SCT	Rcvp	Ibrutnab	5	0
NO	MC	3	Follicular	1/3	I do not know	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	N/A		N/A	R-squared	3	0
NO	CC-a	3	Follicular	11/9	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	OTHER - not listed above	no other choice offered. we were told what type of treatment we were receiving.	We did not discuss any other treatments. We were told that we would receive B-R with Rituxan maintenance. Halfway through maintenance we developed late onset neutropenia and were forced to quit using rituxan.	2	0
NO	MC	2	Follicular	11/11	Stage 1 or 2	1	Rituxan only (4 doses)	n/a	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs.	n/a	n/a	3	0
NO	MC	1	Follicular	4/19	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	due to age and existing CHF it was suggested I could only tolerate gentler types of treatment without worsening my cardiomyopathy		none	due to age and existing CHF (cardiomyopathy) it was suggested to me that I'm not a good candidate for any harsch Chemo or stem cell transplant in the future.	1	0
NO	MC	1	Follicular	10/13	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	none	none	1	0
NO	CC-a	3	Follicular	11/24	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	Stem Cell Transplant	1	2
NO	MC	1	Follicular	7/2	Stage 1 or 2	1	Rituxan only (4 doses)	none so far	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	none	none	4	0
NO	MC	4	Follicular	12/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	None	1	0
NO	MC	3	Follicular	6/18	Stage 1 or 2	4	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	None	3	1
NO	MC	1	Follicular	8/25	Stage 1 or 2	4	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	none	Radiation -- to local area only	none	radiation	1	0
NO	MC	3	Follicular	6/20	Stage 3 or 4	1	Rituxan only (4 doses)	None		Other options were discussed but as options further down the road (BR for instance).	None.	5	2
NO	MC	5	Follicular	10/5	Stage 3 or 4	4	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	Ongoing maintenance every other month, currently in year 3		none	bendamustine/rituxan, inbrutaib	5	0

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	CC-a	1	Follicular	10/11	I do not know	0	Not applicable - I have not received treatment	-	Rituxan only (4 doses)	=	=	4	1
NO	CC-a	5	Follicular	1/12	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	watch and wait	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	wait and watch	watch and wait	3	1
NO	MC	2	Follicular	6/26	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None		None	None	1	0
NO	MC	4	Follicular	3/23	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	BR	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	R-CHOP	1	1
NO	CC-a	7	Follicular	4/20	Stage 3 or 4	2	OTHER - not listed above	Rituxam. Two years after diagnosis and again four years later after relapse.		Chemotherapy	Chemotherapy	3	2
NO	MC	2	Follicular	9/4	Stage 1 or 2	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	R-chop or watch and wait	None	3	0
NO	MC	5	Follicular	12/31	Stage 3 or 4	1	OTHER - not listed above	Arzerra (ofatumumab)	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* with NO Rituxan (* Any kind: CHOP / Bendamustine, CVP, FND, single agent), Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	Rituxan	BR	1	2
NO	nhs	3	Follicular	10/31	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Not applicable - I have not received treatment	None	None	1	5
YES	MC	4	Follicular	10/21	Stage 1 or 2	4	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance, Chemotherapy* followed by Radioimmunotherapy, High dose chemotherapy with SCT	Nivolumab with lurilumab. Revlimid and rituxan Ibrutinib	Rituxan only (4 doses), Radiation -- to local area only	Auto transplant.	Radiation	5	3
NO	CC	12	Follicular	11/28	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	RCHOP	High dose chemotherapy with SCT	It was a clear choice to do RCHOP	SCT after initial chemo	2	2
NO	MC	117	Follicular		Stage 1 or 2	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None		None	None	1	4
NO	not specified	4	Follicular	12/5	Stage 3 or 4	0	Not applicable - I have not received treatment	N/A		N/A	N/A	3	4
NO	MC	11	Follicular	1/23	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None		Watch and wait was recommended but I chose active treatment	None	3	1
NO	MC	4	Follicular	12/13	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	Not applicable - I have not received treatment	None	None	4	0
NO	CC-a	1	Follicular	6/16	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	Ibrutinab	Rituxan+Bendamustine	1	0

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	5	Follicular	7/12	Stage 3 or 4	0	Not applicable - I have not received treatment	No other treatment--watch and wait	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	We have not discussed treatment options in detail because I am still not experiencing B symptoms.	We have not discussed treatment options (either by name or in detail) because I am still not experiencing B symptoms and we need further information before treatment is undertaken.	4	0
YES	MC	3	Follicular	3/12	Stage 3 or 4	1	OTHER - not listed above	Bendamustine and Obinituzumab	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without Rituxan maintenance, Radioimmunotherapy	None	None	4	0
NO	MC	2	Follicular	7/9	Stage 3 or 4	1	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	None	5	0
NO	CC	6	Follicular	9/22	Stage 3 or 4	4		Rituxin and Bendamustine 5 treatments over 5 months Rituxan maintenance 1 year each quarter	Rituxan only (4 doses), Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	no treatment watchful waiting	none	5	2
NO	MC	2	Follicular	5/20	Stage 3 or 4	2	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, OTHER - not listed above	Obinutuzumab and Lenalidamide following partial response to R-CHOP	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance, High dose chemotherapy with SCT, OTHER - not listed above	Idealalisib following partial response to R-CHOP	None	3	0
Discussed	MC	3	Follicular	9/18	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	Radioimmunotherapy	None	Bexxar	2	3
NO	MC	13	Follicular	2/5	Stage 3 or 4	0	Not applicable - I have not received treatment	AB	Not applicable - I have not received treatment	A	A	4	3
NO	MC	5	Follicular	9/9	Stage 3 or 4	1	High dose chemotherapy with SCT	Radiation		RCHOP until they realized it transformed. Then methotrexate and RCHOP and auto stem	Nothing	1	0
NO	MC	2	Follicular	3/15	Stage 3 or 4	1	OTHER - not listed above	GA101 (Obinutuzumab) NCT01889797	Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	If I did not enter the above clinical trial, then "Watch & Wait" was discussed.	Rituxan as a part of Chemotherapy	4	0
NO	MC	7	Follicular	3/10	Stage 3 or 4	1	Chemotherapy* followed by Radioimmunotherapy, OTHER - not listed above	4 years Rituxan maintenance after RCHOP and Bexxar	Chemotherapy* with NO Rituxan, Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	None	None	3	1
NO	local hospital	7	Follicular	1/21	Stage 1 or 2	1	Radiation -- to local area only	Alternative Medicine - Life style, diet, supplements	Radiation -- to local area only	None	None	2	0
NO	MC	4	Follicular	9/27	Stage 1 or 2	1	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	None	W & W	1	0
Discussed	MC	10	Follicular	3/20	Stage 1 or 2	3	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -- without Rituxan maintenance, OTHER - not listed above	Vaccine Clinical Trial (Dendritic Cell)	Rituxan only (4 doses) - followed by RM for 1-2 yrs., Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs, Chemotherapy* followed by Radioimmunotherapy, Radioimmunotherapy only, Radiation -- to local area only, OTHER - not listed above	Idealisib and clinical trials for inhibitors	None	5	0

RIT	MC Major Cntr CC Com Cntr CC-a affiliated	Yrs since Dx	Type	Yr dx	STAGE when Tx (treated)	Num of Tx (4 = 4+)	Types of Tx	OTHER Tx	Tx NOT received but <u>discussed</u> in detail	OTHER Tx not received, but <u>described in DETAIL</u>	OTHER Tx NAMED (not described in detail) but not offered	Your role in Tx decisions (5 most, 3 if oncologists encouraged input, (blank if no Tx)	Survey ease 0 easiest
NO	MC	4	Follicular	5/15	Stage 3 or 4	1	Chemotherapy* given WITH Rituxan -- followed by RM for 1-2 yrs	Watch and wait for. Relapse	Radiation -- to local area only, High dose chemotherapy with SCT	Watch and wait	Radiation	1	3
NO	MC	8	Follicular	2/15	Stage 3 or 4	2	Rituxan only (4 doses), Chemotherapy* given WITH Rituxan -- without Rituxan maintenance	n/a	Rituxan only (4 doses) - followed by RM for 1-2 yrs.	n/a	n/a	2	0